

Day: Thursday Date: 3/30/2006

Time: 10:35:52

Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name. Additionally, enter the **first few letters** of the Inventor's First name.

Last Name	First Name	
Chinnaian	anboo	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



Day: Thursday Date: 3/30/2006

Time: 10:35:52

Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name. Additionally, enter the **first few letters** of the Inventor's First name.

Last Name	First Name	
pathy	Jay	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

EAST Search History

	Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
	S2	398	606/54.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/30 13:53
	S3	279	S2 and pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/30 13:59
K	S4	101	S3 and (spring or bias\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/21 14:42
	S5	784	(606/53 or 606/57 or 606/59).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:11
	S6	118	S5 and (pin same (spring or bias\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/30 14:24
*	S7	74	S6 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/30 14:26
	S11	880	(606/86 or 606/105).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:04
	S12	645	S11 and (pin or shaft or stick)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:04
	S13	333	S12 and (spring or bias\$4 or spacer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:04

3/30/2006 10:30:43 AM Page 1
C:\Documents and Settings\jkim3\My Documents\EAST\Workspaces\10-798834 - device and method for fixing bone segments.wsp

EAST Search History

	S14	784	(606/53 or 606/57 or 606/59).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:12
	S15	571	S14 and (pin or shaft or stick)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:12
	S16	247	S15 and (spring or bias\$4 or spacer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/01 15:12
	S24	721	(606/54 or 606/57 or 606/59).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/21 14:43
	S25	498	S24 and pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/21 14:43
1	S26	180	S25 and (spring or bias\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OŖ	ON	2006/03/21 14:44
	S27	199	S25 and (spring or bias\$4 or spacer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/21 15:39
	S28	143655	body same pin same (spring or bias\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/21 16:27
	S31	167	S28 and bone same (device or invention or instrument) same (fixation or repair)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/21 15:41

 $3/30/2006\ 10:30:43\ AM$ Page $\overline{2}$ C:\Documents and Settings\jkim3\My Documents\EAST\Workspaces\10-798834 - device and method for fixing bone segments.wsp Page 2

EAST Search History

7	S33	82	(body or shaft or tube) same pin same (spring or bias\$4) and (bone same (fixation or fixator or repair) same (device or instrument or invention) same (compress\$4 or distract\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/21 17:10	
	S37	749	((body or shaft or tube or fixator or fixation) near slot) same pin same ((spring or bias\$4) same (compress\$4 or distract\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/21 17:24	
4	S40	3	S37 and (bone or orthopeadics or orthopedics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/21 17:24	
	S41	3136	(606/69-71 or 606/61).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/22 10:03	
	S42	1632	S41 and slot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/22 10:05	
+	S46	105	(bone or spine) near plate near implant	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 12:09	
Å	553	100		US-RGPUB: USOCR, EPO; JPO; DERWENT	OR	ON	2006/03/29 23:06	D

dexaminal by examiner



3/30/2006 10:30:43 AM
C:\Documents and Settings\jkim3\My Documents\EAST\Workspaces\10-798834 - device and method for fixing bone segments.wsp